

Amendments to the Claims: This listing of claims will replace all prior versions, and listings, of claims in the application

Listing of Claims:

1. (Original) A method of outputting data comprising the steps of:
 - a selection instruction reception step for receiving a button selection instruction for selecting one button out of a plurality of buttons which embody an identical function respectively, have different attribute values and are displayed on an input screen;
 - a selection instruction information recording step for recording selection instruction information related to the one button based on the selection instruction received at the selection instruction reception step; and
 - a data outputting step for changing data to be output based on the selection instruction information recorded in the selection instruction information recording step, and outputting the data.
2. (Original) The method of outputting data as defined in claim 1, wherein the data outputting step outputs data that is a homepage on an Internet.
3. (Currently Amended) The method of outputting data as defined in claim 1 ~~or claim 2~~, wherein the data outputting step changes data to be output by filtering the data based on the selection instruction information recorded in the selection instruction information recording step.
4. (Currently Amended) The method of outputting data as defined in claim 1 ~~or claim 2~~, wherein the data outputting step changes data to be output by changing a place of outputting data based on the selection instruction information recorded in the selection instruction information recording step.
5. (Currently Amended) The method of outputting data as defined in claim 1 ~~or claim 2~~, wherein the data outputting step changes data to be output by providing the data with a given process based on the selection instruction information recorded in the selection instruction information recording step.
6. (Original) The method of outputting data as defined in claim 5, wherein the given process is a language conversion.

7. (Original) The method of outputting data as defined in claim 5, wherein the given process is conversion of a kanji letter into a hiragana letter.

8. (Original) The method of outputting data as defined in claim 5, wherein the given process is conversion of a hiragana letter into a kanji letter.

9. (Currently Amended) The method of outputting data as defined in claim 1 ~~or claim 2~~, wherein the data outputting step changes a display by selecting and outputting one display data out of a plurality of display data, which can form the display, based on the selection instruction information recorded in the selection instruction information recording step.

10. (Original) A server device comprising:

a selection instruction information memory storing one piece or plural pieces of selection instruction information;

a data memory storing one pair or plural pairs of an data identifier and data;

a transmission instruction command receiving section for receiving a transmission instruction command of data having the data identifier;

a data obtaining section for obtaining the data from the data memory, which data forms the pair with the data identifier owned by the transmission instruction command;

a data processor for providing the data obtained by the data obtaining section with a given process based on the one piece or the plural pieces of selection instruction information stored in the selection instruction information memory; and

a data transmitter for transmitting the data processed by the data processor.

11. (Original) The server device as defined in claim 10, wherein the given process is data filtering.

12. (Original) The server device as defined in claim 10, wherein the given process is rearrangement of data.

13. (Original) The server device as defined in claim 10, wherein the given process is translation of a language.

14. (Original) The server device as defined in claim 10, wherein the given process is conversion of a hiragana letter.

15. (Original) The server device as defined in claim 10, wherein the given process is conversion of a kanji letter.

16. (Original) The server device as defined in claim 10, wherein the given process is selection of one display data output plural display data.

17. (Original) An information processing device comprising:

a selection instruction information memory storing one piece or plural pieces of selection instruction information;

a data receiver for receiving data;

a data processor for providing the data received by the data receiver with a given process based on the selection instruction information stored in the selection instruction information memory; and

a data outputting section for giving an instruction of outputting the data processed by the data processor.

18. (Original) The information processing device as defined in claim 17, wherein the given process is data filtering.

19. (Original) The information processing device as defined in claim 17, wherein the given process is rearrangement of data.

20. (Original) The information processing device as defined in claim 17, wherein the given process is translation of a language.

21. (Original) The information processing device as defined in claim 17, wherein the given process is conversion of a hiragana letter.

22. (Original) The information processing device as defined in claim 17, wherein the given process is conversion of a kanji letter.

23. (Original) The information processing device as defined in claim 17, wherein the given process is selection of one display data out of plural display data.

24. (New) The method of outputting data as defined in claim 2, wherein the data outputting step changes data to be output by filtering the data based on the selection instruction information recorded in the selection instruction information recording step.

25. (New) The method of outputting data as defined in claim 2, wherein the data outputting step changes data to be output by changing a place of outputting data based on the selection instruction information recorded in the selection instruction information recording step.

26. (New) The method of outputting data as defined in claim 2, wherein the data outputting step changes data to be output by providing the data with a given process based on the selection instruction information recorded in the selection instruction information recording step.

27. (New) The method of outputting data as defined in claim 2, wherein the data outputting step changes a display by selecting and outputting one display data out of a plurality of display data, which can form the display, based on the selection instruction information recorded in the selection instruction information recording step.